

Compatibilités modules VOLTEC avec : micro-onduleurs, optimiseurs, onduleurs

Sommaire :

Section micro-onduleurs	Section optimiseurs	Section onduleurs
<p>APSystems</p> <p>EnPhase</p> <p>Hoymiles</p>	<p>Huawei</p> <p>SolarEdge</p> <p>Sungrow</p>	<p>Fronius</p> <p>GoodWee</p> <p>Kostal</p> <p>SMA</p> <p>Solis</p> <p>Sungrow</p>

Légende :

Compatible	Le module est compatible avec l'équipement (micro-onduleur, optimiseur ou onduleur).
Incompatible	Les caractéristiques électriques du module sont incompatibles avec l'équipement (micro-onduleur, optimiseur ou onduleur).
<p>IMPORTANT : Voltec Solar fournit ce document à titre informatif et ne garantit pas la compatibilité entre les équipements mentionnés. Il est recommandé de consulter directement l'installateur ou le responsable du projet pour vérifier cette compatibilité. Il est également possible de contacter le fournisseur d'équipement pour obtenir une confirmation écrite.</p>	

SECTION MICRO-ONDULEURS

Micro-onduleurs APSYSTEMS								
Désignation commerciale	TARKA 126 VSMD 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSBD 390 W Cristal	TARKA 126 VSMS 375 - 385 - 400 W Diamant / Basalte	TARKA 126 VSMS 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSMS 355 - 375 W Rubis Noir / Ambre	TARKA 80 VSMP 400 W Onyx	TARKA 88 VSMP 440 W Onyx	TARKA 138 VSMD 430 W Onyx VSBD 425 W Cristal
DS3-L	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
DS3	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
DS3-H	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible

Micro-onduleurs ENPHASE								
Désignation commerciale	TARKA 126 VSMD 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSBD 390 W Cristal	TARKA 126 VSMS 375 - 385 - 400 W Diamant / Basalte	TARKA 126 VSMS 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSMS 355 - 375 W Rubis Noir / Ambre	TARKA 80 VSMP 400 W Onyx	TARKA 88 VSMP 440 W Onyx	TARKA 138 VSMD 430 W Onyx VSBD 425 W Cristal
IQ7X	Incompatible	Incompatible	Incompatible	Incompatible	Incompatible	Incompatible	Incompatible	Incompatible
IQ7+	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
IQ8MC	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Compatible	Compatible
IQ8H	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
IQ8P	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
IQ8X	Incompatible	Incompatible	Incompatible	Incompatible	Incompatible	Incompatible	Incompatible	Incompatible
IQ8+	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
IQ8M	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
IQ8AC	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible

Micro-onduleurs HOYMILES								
Désignation commerciale	TARKA 126 VSMD 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSBD 390 W Cristal	TARKA 126 VSMS 375 - 385 - 400 W Diamant / Basalte	TARKA 126 VSMS 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSMS 355 - 375 W Rubis Noir / Ambre	TARKA 80 VSMP 400 W Onyx	TARKA 88 VSMP 440 W Onyx	TARKA 138 VSMD 430 W Onyx VSBD 425 W Cristal
Série HMS-300 -500 -1T	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série HMS-600 -1000 -2T	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série HMS-1600-2000-4T	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série HMS-300-500W-1T	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série HMT-1600-2000-4T	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série HMT 1800-2250	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
Série HMT-1600-2000-4T	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série HMS-600-1000W-2T	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible

SECTION OPTIMISEURS

Optimiseurs HUAWEI								
Désignation commerciale	TARKA 126 VSMD 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSBD 390 W Cristal	TARKA 126 VSMS 375 - 385 - 400 W Diamant / Basalte	TARKA 126 VSMS 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSMS 355 - 375 W Rubis Noir / Ambre	TARKA 80 VSMP 400 W Onyx	TARKA 88 VSMP 440 W Onyx	TARKA 138 VSMD 430 W Onyx VSBD 425 W Cristal
SUN2000-450W-P2	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
SUN2000-600W-P	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
MERC 1100W P	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
MERC 1300W P	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible

Optimiseurs SOLAREEDGE								
Désignation commerciale	TARKA 126 VSMD 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSBD 390 W Cristal	TARKA 126 VSMS 375 - 385 - 400 W Diamant / Basalte	TARKA 126 VSMS 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSMS 355 - 375 W Rubis Noir / Ambre	TARKA 80 VSMP 400 W Onyx	TARKA 88 VSMP 440 W Onyx	TARKA 138 VSMD 430 W Onyx VSBD 425 W Cristal
P1100 (550 x 2)	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
S1200	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
S1400	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
S440	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
S500	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
S500B	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
S650B	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
S1000	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible

Optimiseurs SUNGROW								
Désignation commerciale	TARKA 126 VSMD 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSBD 390 W Cristal	TARKA 126 VSMS 375 - 385 - 400 W Diamant / Basalte	TARKA 126 VSMS 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSMS 355 - 375 W Rubis Noir / Ambre	TARKA 80 VSMP 400 W Onyx	TARKA 88 VSMP 440 W Onyx	TARKA 138 VSMD 430 W Onyx VSBD 425 W Cristal
SP600S	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible

SECTION ONDULEURS

Onduleurs FRONIUS								
Désignation commerciale	TARKA 126 VSMD 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSBD 390 W Cristal	TARKA 126 VSMS 375 - 385 - 400 W Diamant / Basalte	TARKA 126 VSMS 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSMS 355 - 375 W Rubis Noir / Ambre	TARKA 80 VSMP 400 W Onyx	TARKA 88 VSMP 440 W Onyx	TARKA 138 VSMD 430 W Onyx VSBD 425 W Cristal
Série PRIMO	Compatible	Compatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Compatible
Série SYMO	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série SYMO ADVANCED	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série ECO	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série PRIMO GEN24 PLUS	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série SYMO GEN24 PLUS	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série TAURO	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible

Onduleurs GOODWE								
Désignation commerciale	TARKA 126 VSMD 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSBD 390 W Cristal	TARKA 126 VSMS 375 - 385 - 400 W Diamant / Basalte	TARKA 126 VSMS 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSMS 355 - 375 W Rubis Noir / Ambre	TARKA 80 VSMP 400 W Onyx	TARKA 88 VSMP 440 W Onyx	TARKA 138 VSMD 430 W Onyx VSBD 425 W Cristal
Série XS 0.7-3kW	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
Série XS PLUS+ 0.7-3kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série XS G3 0.7-3kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série DNS 3-6kW	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
Série DNS G3 3-6kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série SDT G2 4-15kW	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
Série SDT G2 PLUS+ 4-6kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série SDT G2 PLUS+ 8-10kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série MS G3 5-10kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série SDT G2 17-25kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série SMT 25-36kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série SMT 50-60kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série MT 50-80kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Série HT 1100V 100-120kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible

Onduleurs KOSTAL								
Désignation commerciale	TARKA 126 VSMD 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSBD 390 W Cristal	TARKA 126 VSMS 375 - 385 - 400 W Diamant / Basalte	TARKA 126 VSMS 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSMS 355 - 375 W Rubis Noir / Ambre	TARKA 80 VSMP 400 W Onyx	TARKA 88 VSMP 440 W Onyx	TARKA 138 VSMD 430 W Onyx VSBD 425 W Cristal
PIKO MP plus 3-5kW	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
PLENTICORE plus 3-10kW	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
PIKO CI 30/50/60 kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
PIKO CI 100 kW	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible

Onduleurs SMA								
Désignation commerciale	TARKA 126 VSMD 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSBD 390 W Cristal	TARKA 126 VSMS 375 - 385 - 400 W Diamant / Basalte	TARKA 126 VSMS 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSMS 355 - 375 W Rubis Noir / Ambre	TARKA 80 VSMP 400 W Onyx	TARKA 88 VSMP 440 W Onyx	TARKA 138 VSMD 430 W Onyx VSBD 425 W Cristal
SUNNY BOY 1.5 / 2.5	Compatible	Compatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Compatible
SUNNY BOY 3.0 / 3.6 / 4.0 / 5.0 / 6.0	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Sunny Tripower 3.0 / 4.0 / 5.0 / 6.0	Compatible	Compatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Compatible
SUNNY TRIPOWER CORE1 STP 50-41	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SUNNY TRIPOWER X 12 / 15 / 20 / 25	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SUNNY TRIPOWER CORE2 STP 110-60	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SUNNY HIGHPOWER PEAK3	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SUNNY CENTRAL UP	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SUNNY CENTRAL 2200 / 2475	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible

Onduleurs SOLIS								
Désignation commerciale	TARKA 126 VSMD 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSBD 390 W Cristal	TARKA 126 VSMS 375 - 385 - 400 W Diamant / Basalte	TARKA 126 VSMS 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSMS 355 - 375 W Rubis Noir / Ambre	TARKA 80 VSMP 400 W Onyx	TARKA 88 VSMP 440 W Onyx	TARKA 138 VSMD 430 W Onyx VSBD 425 W Cristal
S5-GR3P(3-20)K	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Solis-3P(5-20)K-4G	Compatible	Compatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Compatible
S6-GR3P(25-36)K03-NV-ND	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
S5-GC(25-40)K	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Solis-(25-50)K-5G	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
S5-GC(50-60)K	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Solis-80K-5G	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
S5-GC80K	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Solis-(80-110)K-5G-PRO	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Solis-(100-110)K-5G	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
S5-GC(100-110)K	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
S6-GC(80-125)K	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
Solis-(215-255)K-EHV-5G	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
S6-GU350K-EHV	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible

Onduleurs SUNGROW								
Désignation commerciale	TARKA 126 VSMD 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSBD 390 W Cristal	TARKA 126 VSMS 375 - 385 - 400 W Diamant / Basalte	TARKA 126 VSMS 385 - 395 W Onyx / Anti-ébl.	TARKA 126 VSMS 355 - 375 W Rubis Noir / Ambre	TARKA 80 VSMP 400 W Onyx	TARKA 88 VSMP 440 W Onyx	TARKA 138 VSMD 430 W Onyx VSBD 425 W Cristal
SP600S	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SG2.0/2.5/3.0 RS-S	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SG3.0/3.6/4.0/5.0/6.0RS	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SG5.0/6.0/8.0/10/12RT	Incompatible	Incompatible	Compatible	Compatible	Compatible	Incompatible	Incompatible	Incompatible
SG33CX	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SG33/50CX-P2	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SG110CX	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SG250HX	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SG350HX	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible
SG350HX-20	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible	Compatible